



Schnellprüfung / WP Geheim 1



Startnr.	Sollzeit	Istzeit	Abweichung zur Sollzeit	Punktwert	Strafen	Punkte
1	0:00:06,00	0:00:06,07	0:00:00,07	0,07	0	0,07
2	0:00:06,00	0:00:05,35	-0:00:00,65	0,65	0	0,65
3	0:00:06,00	0:00:08,19	0:00:02,19	2,19	0	2,19
4	0:00:06,00	0:00:05,56	-0:00:00,44	0,44	0	0,44
5	0:00:06,00	0:00:06,62	0:00:00,62	0,62	0	0,62
6	0:00:06,00	0:00:06,12	0:00:00,12	0,12	0	0,12
7	0:00:06,00	0:00:05,40	-0:00:00,60	0,60	0	0,60
8	0:00:06,00	0:00:06,41	0:00:00,41	0,41	0	0,41
9	0:00:06,00	0:00:06,19	0:00:00,19	0,19	0	0,19
10	0:00:06,00	0:00:07,13	0:00:01,13	1,13	0	1,13
11	0:00:06,00	0:00:05,27	-0:00:00,73	0,73	0	0,73
12	0:00:06,00	0:00:06,36	0:00:00,36	0,36	0	0,36
14	0:00:06,00	0:00:05,47	-0:00:00,53	0,53	0	0,53
15	0:00:06,00	0:00:04,77	-0:00:01,23	1,23	0	1,23
16	0:00:06,00	0:00:07,90	0:00:01,90	1,90	0	1,90
17	0:00:06,00	0:00:06,45	0:00:00,45	0,45	0	0,45
18	0:00:06,00	0:00:07,81	0:00:01,81	1,81	0	1,81
19	0:00:06,00	0:00:05,83	-0:00:00,17	0,17	0	0,17

20	0:00:06,00	0:00:05,98	-0:00:00,02	0,02	0	0,02
21	0:00:06,00	0:00:06,25	0:00:00,25	0,25	0	0,25
22	0:00:06,00	0:00:06,06	0:00:00,06	0,06	0	0,06
23	0:00:06,00	0:00:06,35	0:00:00,35	0,35	0	0,35
24	0:00:06,00	0:00:03,49	-0:00:02,51	2,51	0	2,51
25	0:00:06,00	0:00:06,83	0:00:00,83	0,83	0	0,83
26	0:00:06,00	0:00:06,09	0:00:00,09	0,09	0	0,09
27	0:00:06,00	0:00:03,46	-0:00:02,54	2,54	0	2,54
28	0:00:06,00	0:00:07,89	0:00:01,89	1,89	0	1,89
29	0:00:06,00	0:00:04,84	-0:00:01,16	1,16	0	1,16
30	0:00:06,00	0:00:06,61	0:00:00,61	0,61	0	0,61
31	0:00:06,00	0:00:06,71	0:00:00,71	0,71	0	0,71
32	0:00:06,00	0:00:05,52	-0:00:00,48	0,48	0	0,48
33	0:00:06,00	0:00:04,32	-0:00:01,68	1,68	0	1,68
34	0:00:06,00	0:00:05,98	-0:00:00,02	0,02	0	0,02
35	0:00:06,00	0:00:05,59	-0:00:00,41	0,41	0	0,41
36	0:00:06,00	0:00:05,10	-0:00:00,90	0,90	0	0,90
37	0:00:06,00	0:00:06,13	0:00:00,13	0,13	0	0,13
38	0:00:06,00	0:00:05,82	-0:00:00,18	0,18	0	0,18
39	0:00:06,00	0:00:07,41	0:00:01,41	1,41	0	1,41
40	0:00:06,00	0:00:05,40	-0:00:00,60	0,60	0	0,60
41	0:00:06,00	0:00:07,29	0:00:01,29	1,29	0	1,29
42	0:00:06,00	0:00:04,88	-0:00:01,12	1,12	0	1,12
43	0:00:06,00	0:00:03,91	-0:00:02,09	2,09	0	2,09
44	0:00:06,00	0:00:05,75	-0:00:00,25	0,25	0	0,25

45	0:00:06,00	0:00:06,00	-0:00:00,00	0,00	0	0,00
46	0:00:06,00	0:00:06,72	0:00:00,72	0,72	0	0,72
47	0:00:06,00	0:00:05,74	-0:00:00,26	0,26	0	0,26
48	0:00:06,00	0:00:06,52	0:00:00,52	0,52	0	0,52
49	0:00:06,00	0:00:05,07	-0:00:00,93	0,93	0	0,93
50	0:00:06,00	0:00:06,98	0:00:00,98	0,98	0	0,98
51	0:00:06,00	0:00:04,30	-0:00:01,70	1,70	0	1,70
52	0:00:06,00	0:00:06,68	0:00:00,68	0,68	0	0,68
53	0:00:06,00	0:00:05,94	-0:00:00,06	0,06	0	0,06
54	0:00:06,00	0:00:05,94	-0:00:00,06	0,06	0	0,06
55	0:00:06,00	0:00:05,97	-0:00:00,03	0,03	0	0,03
56	0:00:06,00	0:00:02,35	-0:00:03,65	3,65	0	3,65
57	0:00:06,00	0:00:06,32	0:00:00,32	0,32	0	0,32
58	0:00:06,00	0:00:04,70	-0:00:01,30	1,30	0	1,30
59	0:00:06,00	0:00:06,09	0:00:00,09	0,09	0	0,09
60	0:00:06,00	0:00:05,92	-0:00:00,08	0,08	0	0,08
61	0:00:06,00	0:00:04,61	-0:00:01,39	1,39	0	1,39
62	0:00:06,00	0:00:04,99	-0:00:01,01	1,01	0	1,01
63	0:00:06,00	0:00:05,84	-0:00:00,16	0,16	0	0,16
64	0:00:06,00	0:00:06,16	0:00:00,16	0,16	0	0,16
65	0:00:06,00	0:00:05,32	-0:00:00,68	0,68	0	0,68
66	0:00:06,00	0:00:06,47	0:00:00,47	0,47	0	0,47
67	0:00:06,00	0:00:05,48	-0:00:00,52	0,52	0	0,52
68	0:00:06,00	0:00:05,76	-0:00:00,24	0,24	0	0,24
69	0:00:06,00	0:00:05,49	-0:00:00,51	0,51	0	0,51

70	0:00:06,00	0:00:07,51	0:00:01,51	1,51	0	1,51
71	0:00:06,00	0:00:05,61	-0:00:00,39	0,39	0	0,39
72	0:00:06,00	0:00:06,53	0:00:00,53	0,53	0	0,53
73	0:00:06,00	0:00:08,11	0:00:02,11	2,11	0	2,11